

ABS 线盘和铁盘



ABS 塑料线盘数据表

型号规格	材料	侧板		筒径	总长	内宽	孔径	携行孔		
		直径	厚度					半径	偏心距	
		d1	S	d2	L1	L2	d3	r	e1	e2
PN300	PS	300	15	140	180	150	40	7.0	30	50
PN400	ABS	400	16	200	300	250	40-56	10	65	75
PN400	ABS	400	16	200	300	265	55-56	10	65	75
PN400	ABS	400	16	200	155	120	55-56	10	65	75
PN500	ABS	500	20	250	300	250	56	12.5	70	93
PN500	ABS	500	20	250	375	315	56	12.5	70	93
PN500	ABS	500	25	250	300	250	56	10.5	66	76
PN630	ABS	630	25	250	475	400	56	12	78	101
PN630	ABS	630	25	315	375	315	56	12	78	101
PN630	ABS	630	25	315	475	415	56	12	78	101
PN800	ABS	800	35	400	600	500	80	15	112	160
PN1000	ABS	1000	35	500	750	630	80	14		

冲压线盘(瓦楞式)机用线盘数据表



型 号	d1	d2	d3	d4	d5	e	L1	L2	L3	a	vdM3			
400	400	160	71	36	8-16	112	300	250	15-20	60°	26.3			
		200					236	200			18.8			
500	500	200	112	56	16-28	140	375	315			51.9			
		250					300	250			36.8			
560	560	224					425	355			73.4			
		280					335	280			53.7			
630	630	250					475	400			105.1			
		315					375	315			72.5			
710	710	355					160	80	28-40	160	530	450	20-40	133.6
800	800	400									600	500		188.5
1000	1000	500	750	630	371.1									
1120	1120	560	850	710	524-6									
1250	1250	630	950	800	732.4									
1400	1400	710	65	300	1060	900					1029.1			
1600	1600	800			1180	1000					1508.0			
1800	1800	1000			200	100					1320	1120	1970.1	
2000	2000	1120					1500	1250			2695.5			

2240	2240	1250					1700	1400			3799.1
2500	2500	1500					1900	1600			5026.5
2800	2800	1800	280	140			2120	1800			6503.1
3150	3150	1900	300	160			500	2300			2000