



DONGGUAN JING ONE WIRE & CABLE MACHINE CO.LTD
Address : No.13 ,nanxing Road ,Beizha nanfang industrial zone ,
Humen town ,Guangdong province ,China Zip Code: 523925
TEL:86-769 -88920358 (8 line) FAX:86-769 -87093015

<http://www.jing-one.com.cn> [E-mail:chitiezhang@hotmail.com](mailto:chitiezhang@hotmail.com)

800P High Speed Bunching Machine





Application :

Twist 7 strands or beyond 7 in bare copper wire , silver-plated wire , tin-plated wire , enameled wire copper clad steel wire , copper clad aluminum wire etc and twist earphone wire , electric wire , computer wire ,telephone wire etc

机型 Model	JO-φ800mm
最大回转速度 Rotation Speed	1200 RPM/2400 T/Min
用途 Application	适用 7 股以上的镀银线、镀锡线、漆包线、裸铜线、铜包钢、铜包铝绞合 Twist 7 strands or beyond 7 in bare copper wire , silver-plated wire , tin-plated wire , enameled wire copper clad steel wire , copper clad aluminum wire
单线线径 Single inlet Diameter	φ0.3-φ1.2mm
绞合面积 Twist section	2.5-12mm ²
绞距 Lay pitch	27.4-144 mm

机器装铜量 Machine load copper volume	Max 600Kg
绞向 Direction	左右 S Or Z
排线方式 Traverse	轴承式排线 Bearing traverse
收线张力 Take up tension	离合器 Clutch
制动 Brake	内外部断线制动停机，线满自动记米停机 Automatic brake when wire breaks inside or outside of the machine . automatic meter countering and stop when reach pre-set length
轴承 Bearing	瑞士，日本 Switzerland , Japan NSK
功率 Power	15 HP
噪音指数 Noise Index	Below 75 db
机器体积 Dimension	(L)3650×(W)2150×(H)2100
机器重量 Net Weight (KG)	4000 KG